

**To:** Wagner, Christine[Wagner.Christine@epa.gov]  
**Cc:** [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@epa.gov]; [Nonresponsive based on revised scope]@epa.gov]

**From:** [Nonresponsive based on revised scope]O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817-[Nonresponsive based on revised scope]

**Sent:** Wed 10/3/2018 4:24:29 PM (UTC)

**Subject:** Case# 47768, SDG# C0AD8 - Validated Data for Shiloh Church Road Site

[47768 C0AD8 ltr.pdf](#)

[47768 C0AD8 DVR.pdf](#)

[47768 C0AD8 SSR.pdf](#)

[EQuls 1 47768 C0AD8 Validated.xls](#)

[EQuls 2 47768 C0AD8 Validated.xls](#)

[EQuls 3 47768 C0AD8 Validated.xls](#)

[EQuls 47768 C0AD8 Validated.xls](#)

Christine Wagner  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# C0AD8. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail at [Nonresponsive based on revised scope]@epa.gov if additional assistance is needed.

TO # 0002                      TDF # 0818123



[Nonresponsive based on revised scope] | Research Technician | 410-305-3013 | [Nonresponsive based on revised scope]@epa.gov

---

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350